				The power supply specialist ROBITON®		
	,	« 56,	. 32,	» 446	: . e-mail:	, . info@robiton.ru
1. 2.					-	
3.) .			,		30
4.						-
5.		,				,
6. • 7.	,		;	,	;	. ;
8.	,					
		:				
	-	:				
	-		:			
	:				:	12
					: M.	
					-	



ROBITON MasterCharger Pro



www.robiton.ru

На Web-страницу товара	, «null».		
ROBITON MasterCharger Pro –	,	•	,
, : - (Ni-Cd), - (Ni-MH) - (Li-ion)		«Full».	
3,6-3,7 . 3 : , USB- ,	1. « » 1 ,		
(300, 500, 700 1000)	2. , « », / . 3.	« »	
· : , , , , ,	J.	: "/	, , , , , , , , , , , , , , , , , , , ,
•			
MasterCharger Pro :	1. 8	USB-	
 Li-ion: 26650, 22650, 18650, 17670, 18490, 18500, 17500, 17355, 16340 (RCR123), 14500, 10440 Ni-MH/Ni-Cd: AA, AAA, A, SC, C. 	2. , / , « ».	:	700 0:14 1.37 028)
(),	3.	, ,	ma h v mah
	, , , , , , , , , , , , , , , , , , ,	t	
Ni-Cd Ni-MH $-\Delta V$,	: (), (), (), (),	1. 2.	USB .
trickle charge. trickle charge (),		3.	USB
Li-ion ,	(CHARGE)	1.	
,	1.	2. 100-240 3. 12-13,8	
, USB-	, «null».	3. 12-13,0	
USB- MasterCharger Pro 100-240	2. 1-4 , ,	4	
12-13,8 ,	3	4. :DC12 1,5A	
• 3 – , USB-	. «charge» 8 ,	: DC 1,48 Ni-MH/Ni-Cd 300 /500 / DC 4,2 Li-ion 300 /500 /700 /1000	700 /1000 4 4
• USB-	«300 ». . 8		
-300,500,700 1000		DC5 1000	
• « »		• ,	_
	(), ().		,
• 3,6-4,2 Ni-MH/Ni-Cd	300 , , ,		
• (100-240) • (12-13,8)	,		
(12-13,0)	. "TEST"	•	
	4. , «Full», -	,	
	, trickle-charge (,
	^미네 «null» -	•	
ROBITON MasterCharger Pro - , 3	- - - - - - - - - - - -	•	
: 1. (CHARGE) – ,		• / .	Ni-MH/Ni-Cd, -
« » (trickle charge). 2. – — (TEST) –		•	
3. USB-	5. , .		
	(TEST)		
«1», «2», «3», «4» -	Full	1.	Ni-MH
« »- : 1 .	«Full» -	,	
« »- ; , , , , , , , , , , , , , , , , , ,			300 2 25
« »-		600	1000 40
	,		300 3 35
! !	, , ,	AAA/HR03 900 —	1000 1 5
. «null» ,	3		300 4 25
	. "charge". 3	1100	1000 1 15
1. , 4	, "TEST". , 500 .	4000	300 7 10
(, «3,7 »), «300mA Charge»		1800 —	1000 2 10
2.	TRICKLE CHARGE ()	2800	500 6 40
3.	«Trickle Charge» -	2000	1000 3 20
	· ·		